



Docket No.: 4866-0101PUS1  
(PATENT)

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Patent Application of:  
Xiabin JING et al.

Application No.: 10/821,925

Confirmation No.: 002121

Filed: April 12, 2004

Art Unit: 3738

For: BIODEGRADABLE COMMON BILE DUCT  
STENT AND THE METHOD FOR  
PREPARING THEREOF

Examiner: S. J. J. Gherbi

**AMENDMENT IN RESPONSE TO NON-FINAL OFFICE ACTION**

MS Amendment  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

October 3, 2005

Sir:

**INTRODUCTORY COMMENTS**

In response to the Office Action mailed May 3, 2005 (Paper No. 20050429), the period for response being extended by two (2) months to October 3, 2005, the following amendments and remarks are respectfully submitted in connection with the above-identified application:

**Amendments to the Specification and Title** begin on page 2 of this paper.

**Amendments to the Abstract** begin on page 3 of this paper.

**Amendments to the Claims** are reflected in the listing of claims which begins on page 4 of this paper.

**Amendments to the Drawings** begin on page 7 of this paper and include both an attached replacement sheet and an annotated sheet showing changes.

**Remarks/Arguments** begin on page 8 of this paper.